

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

# 11 blocheration / w/attacherento V Begun 1/17/03

In Re Application of:	)
Hirst, et al.	) Group Art Unit: 2852
Serial No.: 09/819,925	) Examiner: Tran, Hoan H.
Filed: March 28, 2001	) Docket No.: 10004411-1
For: Fusing System Including an External Heater	)
I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Commissioner	
for Patents, Alexandria, VA 22313-1450, on	<u> </u>
Many Meegan Signature - Mary Meegan	

### **DECLARATION OF B. MARK HIRST PURSUANT TO 37 C.F.R. §1.131**

Commissioner of Patents Washington, D.C. 20231

Sir,

### I, B. Mark Hirst, hereby declare that:

- 1) The invention embodied in the above-identified patent application is directed to fusing systems and devices that incorporate such fusing systems.
- 2) I am advised that the United States Patent and Trademark Office has rejected one or more claims presently pending in the above-identified patent application based, at least in part, upon United States Patent No. 6,463,250 to *Chen et al.* ("Chen '250"). I am further advised that the effective filing date of the *Chen* '250 patent is October 4, 2000.
- 3) The invention, however, as embodied in the claims of the present invention was completed by myself and my co-inventors in this country prior to October 4, 2000. Specifically,

the invention was "completed" by virtue of reduction to practice prior to the October 4, 2000 filing date of the *Chen* '250 patent.

- 4) As evidence that the present invention was so characterized by reduction to practice, Exhibit "A" is attached hereto.
- 5) Exhibit "A" is a copy of notebook entries from my notebook number 4276. As indicated on pages 37-42 of this notebook, an embodiment of the claimed invention was made and tested with positive results. All of these activities occurred prior to the October 4, 2000 critical date. Note that all dates contained on pages 37-42 have been redacted.

I hereby declare that all statements made herein are of my own knowledge are true and that all statements are made on information and belief and are believed to be true; and further, that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

0

Date

B. Mark Hirst

## OIPE CO

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:	)
Hirst, et al.	) Group Art Unit: 2852
Serial No.: 09/819,925	) Examiner: Tran, Hoan H.
Filed: March 28, 2001	) Docket No.: 10004411-1
For: Fusing System Including an External Heater	)
I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Commissioner for Patents, Alexandria, VA 22313-1450, on	
Mary Mee scu	<del>-</del> -
Signature – Mary Meegan	

### DECLARATION OF KENNETH E. HEATH PURSUANT TO 37 C.F.R. §1.131

Commissioner of Patents Washington, D.C. 20231

Sir,

### I, Kenneth E. Heath, hereby declare that:

- 1) The invention embodied in the above-identified patent application is directed to fusing systems and devices that incorporate such fusing systems.
- I am advised that the United States Patent and Trademark Office has rejected one or more claims presently pending in the above-identified patent application based, at least in part, upon United States Patent No. 6,463,250 to *Chen et al.* ("Chen '250"). I am further advised that the effective filing date of the *Chen* '250 patent is October 4, 2000.
- 3) The invention, however, as embodied in the claims of the present invention was completed by myself and my co-inventors in this country prior to October 4, 2000. Specifically,

RECEIVED

the invention was "completed" by virtue of reduction to practice prior to the October 4, 2000 filing date of the *Chen '250* patent.

- 4) As evidence that the present invention was so characterized by reduction to practice, Exhibit "A" is attached hereto.
- 5) Exhibit "A" is a copy of notebook entries from Mark Hirst's notebook number 4276. As indicated on pages 37-42 of this notebook, an embodiment of the claimed invention was made and tested with positive results. All of these activities occurred prior to the October 4, 2000 critical date. Note that all dates contained on pages 37-42 have been redacted.

I hereby declare that all statements made herein are of my own knowledge are true and that all statements are made on information and belief and are believed to be true; and further, that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Date

7-03 Kenneth & Deagh

Kenneth E. Heath

# OIPE TRADELE

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:	)
Hirst, et al.	) Group Art Unit: 2852
Serial No.: 09/819,925	) Examiner: Tran, Hoan H.
Filed: March 28, 2001	) Docket No.: 10004411-1
For: Fusing System Including an External Heater	)
I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Commissioner for Patents, Alexandria, VA 22313-1450, on $7 - 7 - 03$	
May Meege	
Signature – Mary Meegan	

## DECLARATION OF MARK WIBBELS PURSUANT TO 37 C.F.R. \$1.131

Commissioner of Patents Washington, D.C. 20231

Sir,

### I, Mark Wibbels, hereby declare that:

- 1) The invention embodied in the above-identified patent application is directed to fusing systems and devices that incorporate such fusing systems.
- I am advised that the United States Patent and Trademark Office has rejected one or more claims presently pending in the above-identified patent application based, at least in part, upon United States Patent No. 6,463,250 to *Chen et al.* ("Chen '250"). I am further advised that the effective filing date of the *Chen* '250 patent is October 4, 2000.
- 3) The invention, however, as embodied in the claims of the present invention was completed by myself and my co-inventors in this country prior to October 4, 2000. Specifically,

the invention was "completed" by virtue of reduction to practice prior to the October 4, 2000 filing date of the *Chen '250* patent.

- 4) As evidence that the present invention was so characterized by reduction to practice, Exhibit "A" is attached hereto.
- 5) Exhibit "A" is a copy of notebook entries from Mark Hirst's notebook number 4276. As indicated on pages 37-42 of this notebook, an embodiment of the claimed invention was made and tested with positive results. All of these activities occurred prior to the October 4, 2000 critical date. Note that all dates contained on pages 37-42 have been redacted.

I hereby declare that all statements made herein are of my own knowledge are true and that all statements are made on information and belief and are believed to be true; and further, that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

<u>7-7-03</u>

Date

Mark Wibbels

EXHIBIT "A"

111

TLE Fusing System Lexter	nal head	ting rolle	.c	5	,No		<del></del>
rom Page No							
Present two roller fusing	system	s utiliz	ze alu	minua	n rollers	which a	·c .
typically collered by a t	hick 1	ayer (4	mm	of s	ilicon rub	ber to n	MAXIMAZ 
the width of the nip area	for	improved	. Fusii	ng:_	The sile	con rubb	ėr. is
a porthermal Conductor wi	hich o	esults	in	4_ <i>Fu</i>	sing syst	em which	:
requires an excessive on	nount.	of time	to	bring	, to w	orking to	imperati
For example, the HP 8500  a chaire a working ter  heated by 595 Watt g	loser	printer	reg	aires_	4 minutes	+ 20 Scco	nds to
a chrive a working ter	peratu	ce 05	180°	C. Wi	th two	heated roll	ers ca
heated by 595 Watt q	uartz	lamps.	0	sing	an exter	nul hea	ted m
roller climinates a great	<sup>L</sup> portio	in of t	he th	erma	1 time d	elay in	the sy
The following system in	as p	rototyp	ed u	,ith	2 595	heater la	mps.:
595 Watter guartz heuter	ne al	uminum	or st	eel	with teston	coating	
595 Walter		eating rol	ller				
quartz healer	0 ))						
oper pressurr							:
10 595 Ward		· i		<del>                                     </del>			
heard		Silicon	rubbe	r			
<u> </u>	<u> </u>	. i	1 :		<u> </u>		
lower p	ressure			<u> </u>	<u> </u>		
(und	icated)		_	; ; <del> </del>	<del>                                     </del>	· ·	
This system sociuced	Warn	nup.	time	to	2 minutes	50 secon	o Page No
Witnessed & Dederstood by me, Da	ate	Invented	БУД	that	Marwit	Date	
			~~~	/ • •	111 1000	LAT	

To Page No.

Witnessed & Understood by me.

Date

Date


### From Page No.\_39

This system also shows that the teston coatings and silicon rubber of the pressure rollers can operate reliably at temperatures in excess of 210°C. Tests will be conducted with the surface of the external heating roller at 220°C, 230°C, and 240°C prints; 100,000 process.

as well as many other designs

One problem with this design is that the silicon rubber and tession Coatings are isulators and are poor heat conductors as well as possess a small capacity to store heat energy at the surface. This causes the gloss of the Sused toner to decrease over the Sused page with each full rotation of the pressure rollers.

- In example for a ledger proge the gloss for a solid red secondary addor a



fortunately with the external heater the system recovers for the next page.


			· · · · · · · · · · · · · · · · · · ·	ro Page No.⊻
Witnessed & Understood by me,	Date	Recorded by Mark Hund	Date	

From Page No. 39	
To combat the ptoblem o	of gloss sag within the page it is
necessary to improve the	amount of heat that can be carried into the
nip of the fuser pressur	re rollers. A very thin metal layer in the
surface of the upper a	ressure roller charled do the first The
: Int	ressure roller should do the trick. This
laca is actailed on page	e 45 of this note book
andotuse of this skets	was built with the I llaw
but lift to the life	was built with the following:
agreem sund well results	ence of silicon rubber and teflon to 220°C externel h
500W	3.03" thich linch dia steel 0.08" tefle
7	6 ) 230°C
	190°C when turned off, power is a
	190°C sterned heater does not or when turned off, power is o
	L 160°C
100W	
- as of , 44,000 pages	have been printed on above system with me
failures. a record prototype	in which the external herter is controlled at 2:
on 240°C will be compa	
, , ,	
	minted with no problems
240,000 10 915	minted on two fusers with no problem
Vitnessed & Understood by me, Date	10 Page No
Vitnessed & Understood by me, Date	Invented by Ware Trust  Baserded by
	Recorded by Mark with

These life tests show we degradation of fuser roller material when heated via contact rolling with 240°C heating roller. This is a 3X life test on two different fusers a thermal worder for present system is as follows when rolling thermal capacity of rubber conting [5] paper load the problem is that the high them resistance of the constant surface limits energy transport from the fuser. The externs heating roller significantly electedes the thems resistance of the system by applying energy directly to the surface of the fuser Date

From Page No.\_

with rollers water



Meno HPC-0405-1459-NOZ details temperature comparison experiments.

Witnessed & Understood by me,

Date

Invented by Wake Hund

Recorded by Wark Hund

Oute